

# World Class Web Control Equipments

An Indisputable  
Industry Leader  
Since 1984

# Arvind

**Asia's No. 1 Manufacturer of Widest Range of Web Control Equipments**



**Trusted World Over Since 1984**

- 30 Years of Expertise
- Exporting since 27 years
- Exporting to 30+ countries
- 1400+ Clients (All Segments)
- Participation in 54 International Exhibitions
- Participation in 60+ Domestic Exhibitions



# Arvind

# Rollers



## APPLICATIONS

- Gravure Printing
- Flexo Graphic Printing
- Solventless Lamination
- Solventbase Lamination
- Adhesive Coating

## POLYMERS AVAILABLE

Hyalone, NBR, HNBR,  
XNBR, Silicon, Neoprene,  
IR (Butyl), EPDM etc.

## ROLLERS FOR SOLVENTLESS LAMINATION



## Quick Change Sleeve

Ideal for Solventless Lamination, Gravure Printing,  
Flexo Graphic Printing, Adhesive Coating



- Saves change over time
- Highly Cost Effective
- Light Weight - savings in transportation cost
- Vertical Storage
- Ease of operation
- Coatings available to suit all-and-every applications
- Almost readily available
- No metal erosion while re-coating. Thus, maintains shell strength and ensures better balancing of rollers.
- Proven Performance
- Anti-static property

# Core Holding Devices

## Safety Chucks



Quick Locks

## Air Chucks




Wrinkle Removers

# Expander Rollers



SINCE : 1984



- No Wrinkles
- No Baggy Centres
- No Shrunk Width
- No Slack Edges

Sleeves for  
Flexo Graphic  
Printing



## Polyband Expander

- Essential for thin web, 10-microns or less
- Performs excellent for separating the web after slitting, irrespective of web thickness
- Specially useful in Processing PV & PET
- Sizes : Dia. : 90mm to 140mm
- Length up to : 2500mm

## Rubber Grooved Spreader

- Regularly used on Film Plant
- Ideal for very delicate web like Metallized Film
- Individual groove type 5M & 6M
- Two or Four starts scroll type 8M & 9M



Engraving Sleeve



# shafts

- Air Expandable Shafts
- Mechanical Expandable Shafts
- Multi-Tube Air Shafts
- Ball Type Quick Lock Shafts
- Adaptor Shafts (from 2" to 6")





## Ink Circulating Pump

Flameproof  
Motorised / Pneumatic

- For Ink / Adhesive Circulation
- Minimized wastage of ink / adhesive
- 100 % Safe Flame-proof Motor
- S. S. Tank and Tray
- Flow Rate : 25 Ltrs/Min, Invert
- Highly Efficient Flow Control Valve



Come to us  
with your  
Unanswered  
Questions.

Write to us in details at :  
[info@arvindrubber.com](mailto:info@arvindrubber.com)

# RECOR



## Core Saver / Core Restorer

- Powered by Hydraulic Pump
- Load Capacity : 10,150 PSI (700 Bar)
- Proven Design
- Easy One-man Operation
- For restoration of core size 3"
- Optional adaptor is available for 6"

An ISO 9001:2008  
Certified Company

# Arvind

India's No. 1 Manufacturer of Wide Range of Web Control Equipments

## Arvind RUB-WEB CONTROLS LIMITED

Block No. 19B, Chachrevali Vasana Village, Near Davis Pharma,  
Sanjay Bevia Road, Changodar, Ahmedabad - 382 110, India  
Phone : 79900 66026, 9328162314  
E-mail : [jgsh@arvindrubber.com](mailto:jgsh@arvindrubber.com), [marketing@arvindrubber.com](mailto:marketing@arvindrubber.com)

Give us a call

[www.arvindrubber.com](http://www.arvindrubber.com)